

Lathes

Accessories for Lathes



Accessories for Lathes - FOREDOM

Accessories for Lathes - FOREDOM

Code	Name	Price	+
101796	Dust Collector Hood	US\$ 47.04	+Info

Accessories for Lathes - HANDLER

Accessories for Lathes - HANDLER

Code	Name	Price	+
103329	#16D Accela/Rotor Attachemnt	US\$ 980.60	+Info
464550	#P16-11 Chuck Changer Clutch Lining	US\$ 22.59	+Info

Accessories for Lathes - JSP

Accessories for Lathes - JSP

Code	Name	Price	+
461338	Jsp - Bench Vise	US\$ 18.41	+Info
461339	Jsp - 3in Swivel Vise	US\$ 28.06	+Info
461340	Jsp - Vise Swivel 2in	US\$ 17.90	+Info
461602	Jsp - Shield/Exhaust For Dc7/Dc8	US\$ 39.00	+Info

Accessories for Lathes - WELLS

Accessories for Lathes - WELLS

Code	Name	Price	+
100640	Quick Chuck RightHand with Acc	US\$ 595.00	+Info

FLEX SHIELDS - HANDLER

FLEX SHIELDS - HANDLER

Adapting it to a base bolt or drilling a hole to accommodate the machine bolt mounting base will allow mounting to a sturdy surface.

Specifications:

- * Designed for adjustable protection
- * May be mounted on a lathe, table top or model trimmer.



Code	Name	Price	+
103332	#26SHLD HANDLER Lathe Shield - H #26SHLD Designed for adjustable protection - Ma...	US\$ 82.73	+Info
103355	#32SHLD HANDLER Flex Shield 6in x 8in attached to 13in adjustable arm (H#32SHLD...	US\$ 96.52	+Info

Lathes

Chucks for lathes



#16 CHUCK / CHANGER ONLY - HANDLER

#16 CHUCK / CHANGER - HANDLER

Model 16B is the Chuk/Changer factory-installed to the right side of a 26A Low Base, Red Wing Lathe. This combination provides the technician with the ultimate in chuck changing efficiency at both low and high lathe speeds.

The movement of the activating handle allows the technician to change from 1/4" [6.4mm] to 3/32" [2.4mm] burs, mandrels and chuck accessories without stopping the lathe.

This combination will pay for it-self in time saved, while providing excellent concentricity for accurate, professional results in finishing appliances. All chuck and maintenance accessories included.



Code	Name	Price	+
103325	#16 HANDLER Quick Chuck / Changer with Accessories - only #16	US\$ 539.60	+Info
101374	#16 HANDLER Chuck Changer with Accessories- provides full precision changing of ...	US\$ 414.05	+Info

#1-6 STONE CHUCKS - HANDLER

1-6 STONE CHUCKS - HANDLER

Stone Chucks are designed to accommodate abrasive wheels with various inside diameters as indicated below. Handler stone chucks are manufactured to exacting standards from quality brass. For use only on tapered lathe shafts.

Specify chuck number (below) when ordering:

- * #1 STONE - for 3/8" [9.5mm] I.D. (hole size) Wheel - RIGHT
- * #2 STONE - for 3/8" [9.5mm] I.D. (hole size) Wheel - LEFT
- * #3 STONE - for 5/16" [7.9mm] I.D. (hole size) Wheel -RIGHT
- * #4 STONE - for 5/16" [7.9mm] I.D. (hole size) Wheel - LEFT
- * #5 STONE - for 1/4" [6.3mm] I.D. (hole size) Wheel - RIGHT
- * #6 STONE - for 1/4" [6.3mm] I.D. (hole size) Wheel - LEFT

Weight & Dimensions:

- * Shipping Weight: 6 oz [107 g]
- * Unit Dimensions: 5/8" Shank Diameter x 2" L [2cm x 9cm]



Code	Name	Price	+
101086	#1 HANDLER Stone Chuck - Right Int.Diam. 0.37in - Hole Size of the wheel 10mm...	US\$ 14.49	+Info

101087	#2L HANDLER Stone Chuck - Left Hand - (0.37inches) - 10mm Hole size of the whe...	US\$ 13.17	+Info
101088	#3 HANDLER Stone Chuck - Right Hand - 0.31inches (0.8cm) I.D.(hole size) of ...	US\$ 10.63	+Info
101089	#4 HANDLER Stone Chuck - Left Hand - 0.31inches (8mm hole size) of the wheel- ...	US\$ 13.19	+Info
101090	#5 HANDLER Stone Chuck - Right Hand - 0.25inches (0.6cm) I.D.(hole size) of ...	US\$ 14.49	+Info
101091	#6 HANDLER Stone Chuck - Left Hand 0.25inches (6mm I.D.(hole size) of the whe...	US\$ 11.01	+Info

#12 STONE CHUCK - HANDLER

12 STONE CHUCK - HANDLER

- * Designed with a 1/4 [0.6cm] shank for use in Jacobs type chucks.
- * This stone chuck accommodates abrasive stones with 1/4 [0.6cm] I.D. arbor only.
- * Manufactured of alloy steel and plated.



Code	Name	Price	+
101098	#12L Stone Chuck Left Hand for use in Jacobs type chucks (0.25inch (0.6cm) sh...	US\$ 13.17	+Info
113736	#12R HANDLER Stone Chuck Right hand for use in Jacobs type chucks (0.25inch (0...	US\$ 14.49	+Info

#18 ATLAS PRECISION CHUCK - HANDLER

ATLAS PRECISION CHUCK - HANDLER

The 18 Atlas chuck is a precise "Jacobs type" chuck for use with chuck accessories having a diameter of .001" [0.03mm] to .250" [6.4mm]. The 18 Atlas chuck attaches to the right shaft of a dental lathe with standard dental tapered shafts. Machined to precision limits, the 18 Atlas provides the technician with concentricity unmatched by any other adjustable chuck with no run-out and no vibration. For Right shaft only.



Code	Name	Price	+
101099	#18 HANDLER Atlas Precision Chuck - Right Shaft - (Jacobs type) Uses accesorie...	US\$ 142.67	+Info

#20 TAPERED SPINDLE CHUCK - HANDLER

20 TAPERED CHUCK - HANDLER

A tapered chuck manufactured of steel alloy for use on 1/2 [1.3cm] straight or 5/8 [0.6cm] straight shafts.

Available for the Left or Right side of a polishing motor, this chuck provides the user with a heavy duty chuck for use with buffs, brushes and lead centered accessories. Mounts with set screws.



Code	Name	Price	+
------	------	-------	---

110724	#20L HANDLER Taper Spindle Chuck Stainless steel LEFT - 1/2 Shaft (H #20L-1/2...	US\$ 28.30	+Info
470897	#20R HANDLER Taper Spindle Chuck Stainless steel RIGHT - 1/2 Shaft (H #20R-1/2 ...	US\$ 28.30	+Info
470898	#20R HANDLER Taper Spindle Chuck Stainless steel RIGHT - 5/8 Shaft - #20R-5/8	US\$ 28.30	+Info
470899	#20L HANDLER Taper Spindle Chuck Stainless steel LEFT - 5/8 Shaft - #20L-5/8	US\$ 28.30	+Info
470901	#20R HANDLER Taper Spindle Chuck Stainless steel RIGHT - 3/8 Shaft - #20R-3/8	US\$ 27.30	+Info
470900	#20L HANDLER Taper Spindle Chuck Stainless steel LEFT- 3/8 Shaft - #20L-3/8	US\$ 28.30	+Info

#67-0 AUTO CHUCK - HANDLER

67-0 AUTO CHUCK - HANDLER



Auto-Chuck only for use with above mentioned attachments. Automatically changes above chucks while lathe is in motion.

Code	Name	Price	+
101101	#67-0 HANDLER Auto Chuck Changer - used with attachments -	US\$ 99.68	+Info

#67A AUTO - CHUCK KIT - HANDLER

#67A AUTO-CHUCK KIT - HANDLER

An automatic chuck kit designed specifically for the changing of the chuck attachments listed below while lathe is in motion. The Auto-Chuck provides the user with fast chuck changing at a lower cost than many precision chucks. This chuck is designed for gross reduction and rough trimming. Easily installs onto a dental tapered shaft. The 67A kit includes a wrench for tightening the bur adapter.



Specify 67A Kit includes one of each:

- * 67-0 Auto-chuck
- * 67-4 Wrench
- * 67-5 Stone Chuck
- * 67-7 Tapered Chuck
- * 67-8 3/32" [0.2cm] Bur Chuck
- * 67-9 Arbor Chuck

Code	Name	Price	+
103480	#67A HANDLER Auto chuck Kit - Auto-chuck	US\$ 111.35	+Info

#67B AUTO - CHUCK II - HANDLER

#67B AUTO-CHUCK II - HANDLER



The Auto-Chuck II was designed to interchange 3/32" [0.2cm] burs and mandrels while lathe is in motion. By simply placing finger pressure on the outer, frontal shell of this chuck, burs and mandrels may be changed without slowing or stopping the dental lathe.

Constructed of alloy steel with hardened steel cylindrical bearings, the Auto-Chuck II will provide precise bur changing while saving valuable time. Installs on the tapered shaft of dental lathes. For Right side only.

Code	Name	Price	+
101102	HANDLER Auto-Chuck II. Used to interchange 3/32in [0.2cm] burs and mandrels - ...	US\$ 96.57	+Info

#7 TAPERED STEEL CHUCK - HANDLER

#7 TAPERED STEEL CHUCK - HANDLER



The No. 7 tapered chuck is designed specifically for use with buffing wheels, brushes and lead centered wheels.

Precision manufactured of alloy steel, this chuck is built for placement onto lathes and polishing motors containing standard dental tapered shafts.

Unit Dimensions: 5/8in diam x 3 5/8in long (2cm x 9cm)

Code	Name	Price	+
101092	#7R STEEL H&LER (Right) TaperED Steel Chuck- 7R (Right) - (H#7 STEEL) - #7 t...	US\$ 17.75	+Info
101092-1	#7L STEEL HANDLER (Left) Taper Steel Chuck- 7L - (H#7L STEEL) - #7 Taper ...	US\$ 12.69	+Info

#7B TAPERED BRASS CHUCK - HANDLER

#7B TAPERED BRASS CHUCK - HANDLER



The 7B tapered chuck is designed specifically for use with buffing wheels, brushes and lead centered wheels. The 7B Tapered chuck is made of brass to provide easier on/off placement onto tapered dental shafts, causing less shaft wear.

Code	Name	Price	+
101094	#7BR BRASS RIGHT HANDLER Taper Brass Chuck- H#7 BRASS RIGHT	US\$ 15.63	+Info
101094-L	#7BL BRASS LEFT HANDLER Taper Brass Chuck- H#7 BRASS LEFT - #7B	US\$ 15.63	+Info

#8 JACOBS TYPE Jr. CHUCK - HANDLER

#8T JACOBS TYPE JR. CHUCK ? HANDLER



The 8T is designed specifically for use with small burs and mandrels which do not exceed 1/4" [6.3mm] in diameter. The 8T is built to be a less expensive and semi-precise adjustable chuck for use on lathes with tapered shafts. This chuck opens with a CCW twist and closes with a CW twist.

- * 8T (right)
- * 8T-L (left)
- * 8 (right) (0.5)

Weight & Dimentions:

- * Weight: 8 oz [227 g]
- * Unit Dimensions: 2 1/4" L x 1" Shank Diameter [6cm x 3cm]

Code	Name	Price	+
101095	#8 HANDLER Jacobs Type JR. Chuck - Right shaft motor - 0.5 inch -	US\$ 58.50	+Info
101096	#8T HANDLER Jacobs Type JR. Chuck - Right shaft motor -0.25inch -	US\$ 52.06	+Info

#9 ARBOR BAND - HANDLER



#9 ARBOR BAND - HANDLER

Designed to accommodate 3/4" diameter x 3/4" wide [1.9cm x 1.9cm] abrasive bands. Manufactured of alloy steel and plated to fit onto standard dental tapered shafts, the abrasive band is held in place by tightening the end screw against the rubber arbor.

* 9L (Left)

* 9R (Right)

Code	Name	Price	+
113735	#9R HANDLER Arbor Band Right Chuck - for lathes standard shaft - Accepts arbor ...	US\$ 25.00	+Info

ARBOR BAND CHUCKS - ALL BRANDS



Code	Name	Price	+
034-1260020	Arbor Chk Attachment 0.75in Hd	US\$ 15.45	+Info
034-1260030	Arbor Chk- Lft Hnd 0.25in sh	US\$ 11.85	+Info
034-1260040	Arbor Chk- Rgt Hnd 0.25in sh	US\$ 11.85	+Info
101097	#9L Arbor Band 0.75 x 0.75in	US\$ 25.22	+Info
101103	#13R Arbor Band Chk 0.25in Rgh	US\$ 15.63	+Info
101104	#13 Arbor Band Chk 0.25in sh	US\$ 14.21	+Info
424620	100S Arbor Band Chuc	US\$ 12.46	+Info
470868	Arbor Band Chuck. Right 1/2	US\$ 37.49	+Info
470869	Arbor Band Chuck. Left 1/2	US\$ 37.49	+Info

Chucks for lathes - BUFFALO

Chucks for lathes - BUFFALO

Code	Name	Price	+
424638	Jacobs Style Junior,	US\$ 41.76	+Info

424828	Optional Jacobs Chuc	US\$ 113.60	+Info
--------	----------------------	-------------	-----------------------

Chucks for lathes - HANDLER

Chucks for lathes - HANDLER

Code	Name	Price	+
101100	#20R Tapered Chuck 0.5in shaft	US\$ 27.76	+Info
420204	#P16-16 Spiral Taper Chk - Auto	US\$ 12.00	+Info
420205	#P16-15 Arbor Band Chk - Auto	US\$ 12.00	+Info
420206	#P16-19 Stone chucks - Auto	US\$ 15.05	+Info

Chucks for lathes - JSP

Chucks for lathes - JSP

Code	Name	Price	+
461593	Jsp - Tapered Spindles L/H 1/4in	US\$ 5.14	+Info
461594	Jsp - Tapered Spindles L/H 5/16in	US\$ 5.14	+Info
461595	Jsp - Tapered Spindles L/H 3/8in	US\$ 5.14	+Info

Chucks for lathes - KEYSTONE

Chucks for lathes - KEYSTONE

Code	Name	Price	+
034-1260050	Bur Chk- Rgt Hnd	US\$ 43.20	+Info

Chucks for lathes - RAY FOSTER

Chucks for lathes - RAY FOSTER

Code	Name	Price	+
470866	Spiral Chuck Right P91R	US\$ 25.60	+Info
470867	Spiral Chuck Left P91L	US\$ 25.60	+Info
470870	Stone Chuck right 1/4	US\$ 26.60	+Info
470871	Stone Chuck Left 1/4	US\$ 26.60	+Info
470872	B672 3-Jaw Chuck	US\$ 346.95	+Info

TAPERED SPINDLES - KEYSTONE

TAPERED SPINDLES - KEYSTONE

Made of steel, these Tapered Spindles are designed to be used with buffing wheels, brushes, and centered wheels. The chuck is built for placement on either right or left hand shafts with 3/8" or standard tapered shaft. Sold individually.



Code	Name	Price	+
034-1790070	KEYSTONE Taper Spindle - Right Hand .37inch shaft -	US\$ 11.85	+Info

034-1790060	KEYSTONE Taper Spindle - Left Hand - 3/8 10mm shaft #1790060 -	US\$ 11.85	+Info
034-1790010	KEYSTONE Taper Spindle Chuck - 1.5in x 4inch - Ai - I - Attachment For Jacobs c...	US\$ 13.42	+Info

STONE CHUCK - KEYSTONE

STONE CHUCK - KEYSTONE

The Stone Chuck is designed to accommodate 1/4" to 3/8" wheels and stones. They can be used on standard 3/8" shafts and is available for either right or left hand shafts. Made of steel for long-lasting wear. Sold individually



Code	Name	Price	+
034-1260060	KEYSTONE Stone Chuck Attachment - For 1/4in (6.3 mm) Shank, Fits Jacobs - #126...	US\$ 12.61	+Info
034-1260070	KEYSTONE Stone Chuck - Right Hand, With 1/4in (6.3 mm) arbor hole. For standar...	US\$ 13.42	+Info
034-1260080	KEYSTONE Stone Chuck - Right Hand, With 1/4in (6.3 mm) arbor hole. For standar...	US\$ 13.42	+Info

Lathes

Complete lathes



LATHES WITH #16 CHUCK / CHANGER - HANDLER

HANDLER LATHES WITH #16 CHUCK / CHANGER - HANDLER

Model 16B is the Chuk/Changer factory-installed to the right side of a 26A Low Base, Red Wing Lathe. This combination provides the technician with the ultimate in chuck changing efficiency at both low and high lathe speeds.

The movement of the activating handle allows the technician to change from 1/4" [6.4mm] to 3/32" [2.4mm] burs, mandrels and chuck accessories without stopping the lathe.

This combination will pay for it-self in time saved, while providing excellent concentricity for accurate, professional results in finishing appliances. All chuck and maintenance accessories included.



CHUCK / CHANGER WITH LATHES

Code	Name	Price	+
115175	#16SB HANDLER Chuck/Changer with #28L Lathe - Low Base - 1/3 HP - 2 speeds - 172...	US\$ 1,160.44	+Info

115176	#16SB-1 HANDLER - Chuck/Changer with #28H Lathe - High Base (6" shaft hgt) - 1...	US\$ 826.32	+Info
100626	#16B HANDLER Chuck/Changer with #26A Lathe - Low Base - 1/4 HP - 2 speeds - 1725...	US\$ 1,004.09	+Info
103326	#16B-1 HANDLER RED Wing Lathe #26 with Chuck Changer 110v 16B-1. 1/4 HP, 1725/3...	US\$ 1,040.43	+Info

ACCELA / ROTOR

Code	Name	Price	+
103327	#16C HANDLER Accela/Rotor High Base - Complete RED Wing Lathe 110vol - Dimension...	US\$ 1,320.37	+Info
103328	#16C HANDLER Accela/Rotor Low Base - Complete RED Wing Lathe 110vol - Dimensions...	US\$ 1,320.37	+Info



RED WING LATHES - HANDLER

RED WING LATHES - HANDLER

A full 1/4 HP, 1725/3450 RPM two-speed lathe for use on top of laboratory bench.

A full 1/4 HP, 1725/3450 RPM two-speed lathe for use on top of laboratory bench. Its 4 1/2" (11.4cm) shaft height allows for easy use by the technician with hands resting on the tabletop.

Maintenance free standard dental, tapered shafts?each includes a right and left chuck remover for easy removal of standard dental chucks. Chucks and accessories ordered separately.

The 26A is manufactured to provide years of durable service while being utilized for such operations as polishing and grinding.

RED WING LATHES

HIGH SHAFT

Code	Name	Price	+
101107	#27 HANDLER RED Wing Lathe - 1/4 HP- 1 Speed- 115vol AC - 3450 Rpm - High Shaft ...	US\$ 430.35	+Info
101106	#26 HANDLER RED Wing Lathe- 1/4 HP- 2 Speed - 110vol High Base	US\$ 539.60	+Info
110682	#26 H&LER RED Wing Lathe- 1/4 HP- 2 Speed - 220vol High Base	US\$ 509.69	+Info
101109	#28H HANDLER RED Wing Lathe- 1/3 HP- 2 Speed- 1725/3450 Rmp - High Shaft 6 inche...	US\$ 411.13	+Info

LOW SHAFT

Code	Name	Price	+
101108	#28L HANDLER RED Wing Lathe- 1/3 HP- 2 Speed- 1725/3450 Rmp- Low shaft 8 (4.5 i...	US\$ 445.06	+Info
115291	#26E H&LER RED Wing Lathe- 1/4 HP- Low shaft- 220volts 1725/3452 RPM - Weight 39...	US\$ 438.50	+Info
101105	#26A HANDLER RED Wing Lathe #26A - 1/4 HP, 1725/3450 rpm two speed, 110v Low Bas...	US\$ 478.43	+Info

RED WING MOTOR

Code	Name	Price	+
101111	#29A HANDLER 3/4 HP RED Wing Motor - 110vol - 1 Speed - 3450 Rmp- high shaft 6i...	US\$ 544.28	+Info
101110	#29 HANDLER 1/2HP RED Wing Motor - 110vol - 1 Speed- 2450Rmp - 6.37inch shaft- ...	US\$ 331.46	+Info

BENCH MINI LATHE 110/220V - FOREDOM

BENCH MINI LATHE 110/220V - FOREDOM

M. BL Bench Lathe has a high torque, permanent magnet motor that is extremely quiet and smooth running. Cast iron base has mounting hole and suction cup feet for a secure hold on the work surface. Comes with right and left precision machined tapered spindles (A-TM-5 AND A-TM-6) for holding buffs and wheels up to 4inch in diameter. Other accessories including collet holders and wheel mandrels are available.



Available: 110 and 220volts

Code	Name	Price	+
112886	FoREDom- Bench Mini Lathe with Taper Spindes - 220volts -1/6HP High Torque Mot...	US\$ 214.66	+Info
101795	FoREDom- Bench Mini Lathe with Taper Spindes - 110vol ts -1/6HP High Torque Mo...	US\$ 249.49	+Info

Complete lathes - BUFFALO

Complete lathes - BUFFALO

Code	Name	Price	+
425345	Sanitary Lathe, Complete 120V	US\$ 1,104.64	+Info
425346	Sanitary Lathe, Complet 220V	US\$ 1,100.80	+Info

Complete lathes - HANDLER

Complete lathes - HANDLER

Code	Name	Price	+
470541	26A-KIT Red Wing 1/4Hp - Lw 115vol	US\$ 652.79	+Info
470542	26TS KIT Red Wing 1/4Hp Lw 115vol	US\$ 564.75	+Info
470543	26A-KIT Red Wing 1/4Hp - Lw 115vol	US\$ 539.60	+Info
471458	704 Sani-Grinder Drum sander 115v	US\$ 1,052.55	+Info
471461	704 Sani-Grinder Two Sided 115v	US\$ 1,258.45	+Info

Complete lathes - JSP

Complete lathes - JSP

Code	Name	Price	+
101476	Lathe polisher 1/2 Hp 110vo	US\$ 220.00	+Info
112286	Adjustable 1/3HP Lathe W/Spind	US\$ 88.00	+Info
473649	Adjustable 1/3HP Lathe W/Spind	US\$ 92.56	+Info

Complete lathes - RAY FOSTER

Complete lathes - RAY FOSTER

Code	Name	Price	+
470626	2-Speed Polishing Lathe PR75	US\$ 989.44	+Info
470627	2-Speed Polish Lathe w/chuck PR52	US\$ 1,816.71	+Info
470865	Variable Polishing Late PR90	US\$ 1,285.12	+Info

Catalog Index / Indice

Accessories for Lathes	1
Chucks for lathes	2
Complete lathes	8